

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
14 June 2001 (14.06.2001)

PCT

(10) International Publication Number  
**WO 01/41890 A2**


- (51) International Patent Classification<sup>7</sup>: A63F 13/00 (74) Agent: STUART, Michael, C.; Cohen, Pontani, Lieberman & Pavane, Suite 1210, 551 Fifth Avenue, New York, NY 10176 (US).
- (21) International Application Number: PCT/IB00/01706
- (22) International Filing Date: 17 November 2000 (17.11.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 09/455,956 7 December 1999 (07.12.1999) US
- (71) Applicant: NOKIA CORPORATION [FI/FI]; Keilalahdentie 4, FIN-02150 Espoo (FI).
- (71) Applicant (for LC only): NOKIA INC. [US/US]; 6000 Connection Drive, Irving, TX 75039 (US).
- (72) Inventor: HAMEEN-ANTTILA, Tapio; Riukutie 2 E 20, FIN-00390 Helsinki (FI).
- (81) Designated States (national): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— Without international search report and to be republished upon receipt of that report.

[Continued on next page]

(54) Title: RECORDING GAME INFORMATION INTO A SERVER



(57) Abstract: A sport server includes a sport database for storing sport data. The sport server communicates with a variety of input devices for receiving the sport data. The sport server determines the type of input device and then communicates with the input device using appropriate display and communication parameters. The sport server then outputs the sport data to various output devices using appropriate parameters for each output device.

WO 01/41890 A2



*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## Recording Game Information Into A Server

BACKGROUND OF THE INVENTION1. Field of the Invention

5           The present invention relates to a server for managing a database for storing statistics for players and teams of various types of sports.

2. Description of the Related Art

10           There are many prior art references which include memory for keeping statistics on the players of sports such, for example, as U.S. Patent No. 5,412,188 which discloses a sports statistic recording system for basketball. In accordance with that patent, charts  
15 containing barcodes are read by a scanning device connected to a personal computer. Records are made during the game for each event that occurs during the game. An operator scans the bar code associated with the player, the event type, and the time the event  
20 occurred during the game.

          U.S. Patent No. 5,795,237 discloses a portable electronic golf score display device. This device includes a ROM memory for executing the program and a RAM memory for the course information and the score  
25 information. The information recorded on the portable device may be downloaded to a computer for adding up and displaying of data.

          U.S. Patent No. 5,878,369 discloses a golf course yardage and information system. This system  
30 includes a mobile unit subsystem which can be mounted on a golf cart or held by a golfer which includes Differential Global Positioning Satellite (DGPS) technology so that its position on the golf course can be determined. Furthermore, the individual strikes of

each golfer can be recorded and transmitted to a central course management station. The information of each mobile station is compiled at the course management station and used to determine bottlenecks on the course and other statistical information.

U.S. Patent No. 5,319,548 discloses an interactive golf game information system that receives, stores, analyzes and outputs a plurality of different types of information. The system generates a golf play recording card on which a player records a single character for each stroke. Each character represents a club and a location. After finishing a hole, the card is inserted into a reader which analyzes and stores the information. The system can then analyze performance based on the recorded information.

U.S. Patent No. 5,779,566 discloses a handheld golf reporting and statistical analysis apparatus. Prior to game play, the device provide information to allow the player to make informed performance-affecting positions such as the best time of day to play, the best golf ball compression to use, or the most ideal ground conditions, for example. During game play, the device provides means to record the player performance and to assist a player in selecting the most appropriate golf club for each shot, considering the player's club skill and the effect of extrinsic factors. After game play, the device provides a comprehensive set of historical data on performance, including the effects of extrinsic data on performance.

U.S. Patent No. 5,772,534 discloses a satellite enhanced golf information system. This system uses a golf cart fitted with a differential global positioning satellite (DGPS) system to determine how far a golfer is from a pin based on a position of the golf

cart and also to indicate to a base system of the golf course the progression of each particular golf course along the course.

U.S. Patent No. 5,681,108 discloses a golf scorekeeping system including a portable handheld data processing system that stores and retrieves golf information using a voice recognition system.

PCT Publication No. WO 98/44998 discloses a golf records keeping system. The system includes a central processing unit (CPU), a card reader and a printer. The card reader receives player identification and sends it to the CPU. The CPU processes the data and prints a personalized score card for the player. During play, the player marks the scorecard by indicating the number of strokes taken for each hole. After play is completed, the player sends his completed scorecard through the reader and verifies that the information read by the reader is correct. After verification, the data is sent to a central database and the new information is added to previously accumulated information for that player to re-handicap the player if required.

Japanese Patent Publication No. 07-141401 discloses a method of gathering measurement data in a database server by plural measuring devices. A database server stores and manages the measurement data outputted from the plural measuring devices.

#### SUMMARY OF THE INVENTION

It is an object of the invention to provide a server that records game information received from many different types of input devices into a database and presents the stored information to viewers via many different types of output devices.

It is a further object of the invention to provide a server that records game information and performs further operations on the recorded information to describe calculated and/or personalized results.

5           A sports server according to the present invention includes a server including at least one sport database for recording statistics for one or more sports. According to the present invention, a game result is generated by playing a game such as, for  
10   example, golf, ice hockey, football, baseball, and bowling. The game results are input into a mobile terminal input device and then transmitted via the mobile terminal to a central location, i.e., the sport server. The game results may be input by the player  
15   himself or may be automatically added to the game server based on results received from a detecting system such as, for example, an automatic scoring device in a bowling alley which detects pins left standing and after each turn and records the result. Alternatively, the  
20   game results may be input by a person assigned to input the results of a specific sporting event. The mobile terminal transmits the result to the sport server including the location of the mobile terminal. The server then determines the database field in which to  
25   input the information based on the user input and optionally on the location information and records the information in that database field. The recorded information may then be presented to any user with access to the database.

30           As a specific example, a golf player may play a hole and input his score, i.e., the number of strokes, into the mobile terminal. The sport server recognizes the type of mobile terminal being used and prompts the mobile terminal for the game score information using a

display that is appropriate for the type of mobile terminal being used to input the information. The mobile terminal then transmits the information via a mobile communications network to the sport server including the location from which the mobile terminal is sending the information. The location information is determined by a communication system, a GPS system, or a base station to which the mobile terminal communicates. Based on the location information, the sport server determines which golf course the player is playing and saves the information appropriately in the database associated with that golf course. The player may send all his information at once in the first contact to the server, e.g., name, golf course, etc., which does not need to be sent sequentially. The result for each hole may be sent after each hole is played. The user may be identified by, for example, his subscriber ID. Accordingly, after the first connection to the server, the user is identifiable by his subscriber ID and does not need to re-enter such information each time the user enters the score for a hole. In addition to the score for each hole, the information that can be inputted may further include information about long drives, chips, putting, and sand drives. The information may then be analyzed by the sport server to determine the player's strengths and weaknesses. The sport server may also determine how well all players perform on a certain course. The player can access his own previous results and scores and compare his current status to these earlier achievements. Furthermore, the results of a tournament on a golf course may be accessed by querying the database for all games played on the day of the tournament and on the course on which the tournament was held.



Various types of input devices may be used to input the information to the server. Likewise, the information in the database may be accessed by various different types of output devices.

5           The various features of novelty which characterize the invention are pointed out with particularity in the claims annexed to and forming a part of the disclosure. For a better understanding of the invention, its operating advantages, and specific objects  
10           attained by its use, reference should be had to the drawing and descriptive matter in which there are illustrated and described preferred embodiments of the invention.

15                           BRIEF DESCRIPTION OF THE DRAWINGS

In the drawings, wherein like reference characters denote similar elements throughout the several views:

Fig. 1 is a flow diagram showing the steps  
20           required for entering data to the sport server;

Fig. 2 is a block diagram showing the sport server and database and various input devices and output devices used to record and view the game information;

Fig. 3 is a schematic diagram showing the  
25           transmission of an input signal to the sport server and the transmission of an output signal from the sport server to an output device; and

Figs. 4a and 4b respectively show the display of an input device with a first prompt for selecting a  
30           specific sport and a second prompt showing a sport specific input screen for inputting information pertaining to the selected sport.

DETAILED DESCRIPTION OF THE PRESENTLY PREFERRED EMBODIMENTS

Fig. 1 shows a sport server 10 with a sport database 12 according to an embodiment of the present invention. The sport server 10 is a server including a computer for managing sport data to be saved in the sport database 12 and for managing queries of the sport database by users having access to the sport data. The sport server 10 may comprise various types of software for communicating with various types of input and output devices and may, for example, comprise a world wide web server for communicating via the internet and the world wide web, a Wireless Application Protocol (WAP) for communicating with WAP capable terminals, and sport specific software for communicating with sport specific devices designed specifically for inputting game results of a specific sport. The results of a sporting event, such as a game, competition, or tournament are input to the sport database 12 by a user using an input device, i.e., a mobile terminal. After being input, the results are viewable on output devices. Accordingly, there are two different types of users of the sport server 10. The first type of users are data entrants who input the results of a sporting event into the sport database 12. The second type of users are viewers who view the data in the sport database 12 using output devices.

The sport server 10 is designed to receive input from various types of input devices such, for example, as a Personal Digital Assistant (PDA) 14, a WAP capable communicator 16, and a sport specific device 18. The WAP capable communicator 16 typically comprises a handheld wireless device such as a mobile phone, a pager, a two-way radio, or a smart-phone.

The output device may comprise a www-browser 20, an electric scoreboard 22, a news wire 24, a

television 26, or a PDA/ SmartPhone/ cell phone 28. The data transmitted to the output device may be the raw data input by the input device or the sport server may compile a report from the history of data stored in the sport database 12. For example, the sport server may analyze data for a particular player to determine strengths and weaknesses of the player.

The general procedure according to the invention is depicted in Fig. 2. A game result is generated by players of a sporting event such as a round of golf, step 100. To input the sport data, i.e., the game result in a sport database, a mobile terminal is connected to a sport server, step 104. The sport server then determines the type of mobile terminal being used and prompts the mobile terminal for the sport data using a prompt display that is appropriate for the mobile terminal type, step 106. For example, the display of a conventional mobile telephone can display a certain number of characters of a specific size and is not in color. Therefore, the prompt display to the mobile phone will conform to the parameters of the display of that phone. Alternatively, the input device may also comprise a PDA having a larger display which may be in color. In this case, the output of the server is formatted for the larger display and is in color. Accordingly, the prompt display and the communication protocol must conform to the particular input device and output device. Once the prompt display is transmitted, the sport data are then input into a mobile terminal by a user, step 110. The mobile terminal then transmits the sport data to the sport server including location information for the mobile terminal, step 120. The sport server then selects the appropriate field in the sport database based on the sport data received from the

mobile terminal, step 130. In an optional embodiment, the location information is used by the sports server to help determine the appropriate field in the sport database. The information is then recorded in the appropriate database, step 140, and the sport data may then be accessed by those having proper authority to do so, step 150.

Fig. 3 depicts a mobile phone 200 being used as an input device. The mobile phone 200 is connected to the sport server 10 via a base station 202 connected to a network 204 which is connected to the sport server 10. As shown in Fig. 3, two sport databases 12a, 12b may be connected with the sport server 10, each storing sport data for a different sport and/or a different region. During establishment of the connection, the sport server 10 determines the type of mobile terminal being used and the parameters required for communication with that mobile terminal, i.e., step 106 in Fig. 2. The connection database includes the type of device, the horizontal and vertical resolution of the display on the device, the colors of the display, the operating system used by the display, the operating system of the device (i.e., Nokia Communicator 9110, Palm V, Windows CE), the connection speed, the processor power, the amount of memory, and a key for accessing the sport database. Furthermore, the sport server may require validation of the user before sport data can be input to or retrieved from the sport database 12. The validation may require a password, or may validate the user by phone number or device ID. Accordingly, the sport server must include a connection database 32 including input device information and a user database 30 including information for all valid users.

Once the connection is established and the user is validated, the sport server 10 prompts the user for sport data via the display 201. For example, Fig. 4a shows a first prompt on display 201 which lists various sports and requests that the user choose the sport for which data is to be input or retrieved. If, for example, golf is selected, a second prompt will appear on the display 201 as shown in Fig. 4b and may prompt the user for golf specific data such as course name, hole, score, player ID, and player handicap. For team sports, such as baseball, the display may prompt the user for which teams are playing, the score, the stadium, and the inning or period of the latest update.

The sport database 12 preferably comprises data written using eXtensible Markup Language (XML), which is a pared down version of the Standard Generalized Markup Language (SGML). However, SGML may also be used. The sport server 10 includes software supporting a www-server, WAP-server and Sport Server.

Once the sport data is saved in the sport database 12 (or databases 12a, 12b), the sport data may be transmitted to one or more output devices. The output devices may comprise continuously connected devices that automatically display the most current information. Such output devices may comprise an electric scoreboard 22, a news wire 24, or a television 26. In these type of output devices, the sport server 10 may transmit scores for all games being played or that have been played on a present day. Alternatively, the output device may transmit only those scores for a particular sport or may transmit only the scores as they are updated. Alternatively, the output device may comprise a selectively connectable device such as a www-browser 20 or a PDA/ SmartPhone/ cell phone 28.

Furthermore, a viewer may input commands for compiling historic data and generating reports such, for example, as for determining strengths and weaknesses of a golf player or statistics regarding records of a baseball team. A filter adapting device 11 is connected between the output devices and the sport server for adapting the sport data to the desired format for each individual output device. That is, the sport data transmitted to the user is appropriate for the type of output terminal used. Accordingly, only the portion of the output data that is required by a user or that is permitted to be sent to a user passes through the filters. For example, if a player is at home using a PC with a screen, the game server will send audio and video information to the user. However, if the user is using a PDA, or some other communicator without a screen or speakers, the game server may send only SMS data indicating the results of game play in text messages.

Thus, while there have been shown and described and pointed out fundamental novel features of the invention as applied to preferred embodiments thereof, it will be understood that various omissions and substitutions and changes in the form and details of the devices illustrated, and in their operation, may be made by those skilled in the art without departing from the spirit of the invention. For example, it is expressly intended that all combinations of those elements and/or method steps which perform substantially the same function in substantially the same way to achieve the same results are within the scope of the invention. Substitutions of elements from one described embodiment to another are also fully intended and contemplated. It is also to be understood that the drawings are not necessarily drawn to scale. It is the intention,

therefore, to be limited only as indicated by the scope of the claims appended hereto.

CLAIMS

What is claimed is:

1. A method of transmitting sport data between a mobile terminal and a sport database connected  
5 to a sport server, the sport server including a processor for managing sport data to be saved in the sport database and for managing queries of the database, said method comprising the steps of:

(a) establishing a communication connection  
10 between the mobile terminal and the sport server via a mobile communications network so that the mobile terminal is in communication with the sport server;

(b) setting the mobile terminal in a sport data input mode and selecting a selected sport to which  
15 the sport data pertains;

(c) inputting, by a user, the sport data into the mobile terminal in communication with the sport server;

(d) transmitting the inputted sport data from  
20 the mobile terminal to the sport server; and

(e) recording the sport data in the sport database.

2. The method of claim 1, further comprising the step of determining, by the sport server, a  
25 geographical location of the mobile terminal in communication with the sport server and determining a field in which to enter the sport data in the sport database in response to the geographical location determined by said sport server before said step (e) and  
30 wherein said step (e) further comprises recording the sport data in the field in the sport database determined by said sport server.



3. The method of claim 1, further comprising the step of transmitting an output of the sport data from the sport database to an output device.

4. The method of claim 3, wherein said step  
5 of transmitting an output comprises determining a type of output device to be transmitted to and thereby determining display and communication parameters for the output device and transmitting the sport data in accordance with the determined display and communication  
10 parameters.

5. The method of claim 1, wherein said step (b) comprises the steps of prompting, by the server, a user for a sport and inputting, by the user, a selected sport and said step (c) comprises prompting, by the  
15 server, a user for the sport data using a prompt specific to the selected sport, and inputting, by a user, of sport data into the mobile terminal in communication with the sport server.

6. The method of claim 1, further comprising  
20 the step of identifying, by the sport server, a type of the mobile terminal that is in communication with the sport server in said step (a) and determining display and communication parameters for the mobile terminal before performing said step (b).

25 7. The method of claim 6, wherein said steps of prompting comprise transmitting a prompt to a display of the mobile terminal using the determined display and communications parameters.

8. The method of claim 7, wherein the sports  
30 database includes a plurality of fields and said method further comprises the step of determining a field in the sport database in which to store the sport data based on the selected sport and the sport data input by the user in said step (c).

9. The method of claim 2, wherein said step (b) comprises the steps of prompting, by the server, a user for a sport and inputting, by the user, a selected sport and said step (c) comprises prompting, by the server, a user for the sport data using a prompt specific to the selected sport and inputting, by a user, of sport data into the mobile terminal in communication with the sport server.

10. The method of claim 9, further comprising the step of identifying, by the sport server, a type of the mobile terminal that is in communication with the sport server in said step (a) and determining display and communication parameters for the mobile terminal before performing said step (b), wherein said steps of prompting comprises transmitting a prompt to a display of the mobile terminal using the determined display and communications parameters.

11. The method of claim 10, wherein said sport database includes a plurality of fields and said method further comprises the step of determining a field in the sport database in which to store the sport data based on the selected sport and the sport data input by the user in said step (c).

12. A system for managing sports data related to statistics for one or more sports, comprising:

- a sport database for storing sports data;
- a sport server comprising a processor operatively connected to said sport database for managing the sports data received from an input device to be stored in the sport database and for managing queries to said sport database;

- a user database connected to said sport server for storing user data for each user having authority for inputting the sports data;

a connection database connected to said sport server for storing connection data for a plurality of different types of terminals capable of being used as input devices for inputting the sports data;

5 means for determining a type of input device in communication with said sport server and for determining display and communication parameters of the input device; and

means for transmitting prompts to the input  
10 device and receiving replies to said prompts using the determined display and communication parameters for determining the sports data received from the input device.

13. The system of claim 11, further  
15 comprising a filter adapting device including means for determining display and communication parameters of an output device and means for transmitting the sports data to the output device using the determined display and communications parameters.

20 14. The system of claim 11, wherein said sport database comprises a first sport database for storing sport data related to a first sport and a second sport database for storing sport data related to a second sport.

25 15. The system of claim 11, said sport database comprising a plurality of fields, wherein said sports server comprises means for selecting a selected field of said plural fields in which to store the sports data in response to the replies to said prompt.

30 16. The system of claim 14, wherein said sports server comprises means for determining a geographical location of the mobile terminal.

17. The system of claim 15, wherein said means for selecting a selected field comprises means for

selecting a selected field of said plural fields in said sport database in which to store the sports data in response to the replies to said prompts and in response to the geographical location of the mobile terminal.

5           18. The system of claim 11, further comprising means for user selection of a selected sport to which the sport data applies, wherein said means for transmitting prompts to the input device comprises means for transmitting prompts in response to the selected  
10 sport.

          19. The system of claim 17, wherein said sport database comprises a plurality of fields and said sport server comprises means for selecting a selected field of said plural fields in said sport database to  
15 store the sports data in response to the selected sport.

          20. The system of claim 11, wherein the input devices to which said sports server is operatively connectable comprise personal digital assistants, mobile phones, pagers, two-way radios, smart-phones, and sport  
20 specific input devices.

          21. The system of claim 12, wherein said sport server comprises means for outputting said sports data to output devices comprising www-browsers, digital scoreboards, news wires, television broadcasts, personal  
25 digital assistants, smart phones, and cell phones in accordance with said determined display and communication parameters.

1/4




FIG. 1

2/4





FIG. 2

3/4

FIG. 3






FIG. 4a




FIG. 4b



(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
14 June 2001 (14.06.2001)


PCT

(10) International Publication Number  
**WO 01/041890 A3**

- (51) International Patent Classification<sup>7</sup>: **G06F 19/00** (72) Inventor: **HAMEEN-ANTTILA, Tapio**; Riikutie 2 E 20, FIN-00390 Helsinki (FI).
- (21) International Application Number: **PCT/IB00/01706** (74) Agent: **STUART, Michael, C.**; Cohen, Pontani, Lieberman & Pavane, Suite 1210, 551 Fifth Avenue, New York, NY 10176 (US).
- (22) International Filing Date:  
17 November 2000 (17.11.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
09/455,956 7 December 1999 (07.12.1999) US
- (71) Applicant: **NOKIA CORPORATION** [FI/FI]; Keilalahdentie 4, FIN-02150 Espoo (FI).
- (81) Designated States (*national*): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicant (*for LC only*): **NOKIA INC.** [US/US]; 6000 Connection Drive, Irving, TX 75039 (US).

[Continued on next page]

(54) Title: RECORDING GAME INFORMATION INTO A SERVER



(57) Abstract: A sport server includes a sport database for storing sport data. The sport server communicates with a variety of input devices for receiving the sport data. The sport server determines the type of input device and then communicates with the input device using appropriate display and communication parameters. The sport server then outputs the sport data to various output devices using appropriate parameters for each output device.

WO 01/041890 A3



**Published:**

— with international search report

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**(88) Date of publication of the international search report:**

8 May 2003

## INTERNATIONAL SEARCH REPORT

 Internat Application No  
 PCT/IB 00/01706

 A. CLASSIFICATION OF SUBJECT MATTER  
 IPC 7 G06F19/00

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F A63B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 820 183 A (PIONEER ELECTRONIC CORP) 21 January 1998 (1998-01-21) column 38, line 44 -column 39, line 19; figure 9 column 39, line 24 -column 44, line 8; figures 4,5,7-10 ---	1
A	US 5 809 415 A (ROSSMANN ALAIN) 15 September 1998 (1998-09-15) column 3, line 26 - line 56 column 31, line 47 -column 32, line 7 ---	1
A	US 5 434 789 A (BILSLAND GARY ET AL) 18 July 1995 (1995-07-18) the whole document --- -/--	1,2

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

\* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document but published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*G\* document member of the same patent family

Date of the actual completion of the international search

5 September 2002

Date of mailing of the international search report

20/01/2003

Name and mailing address of the ISA

 European Patent Office, P.B. 5818 Patentlaan 2  
 NL - 2280 HV Rijswijk  
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
 Fax: (+31-70) 340-3016

Authorized officer

ABSALOM R.

## INTERNATIONAL SEARCH REPORT

Internat<sup>l</sup> application No  
PCT/IB 00/01706

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 949 679 A (BORN RICHARD ARTHUR ET AL) 7 September 1999 (1999-09-07) the whole document ---	1
A	WO 99 47216 A (FENDIS GREGORY) 23 September 1999 (1999-09-23) the whole document ---	1
A	WO 99 37369 A (FUJITSU LTD ;HYUGA YOSHIKATSU (JP)) 29 July 1999 (1999-07-29) abstract ---	1
A	US 5 544 321 A (GOLDSTEIN RICHARD J ET AL) 6 August 1996 (1996-08-06) abstract ---	2
A	US 5 283 733 A (COLLEY RUSSELL H) 1 February 1994 (1994-02-01) the whole document ---	1
A	EP 0 674 924 A (IMC ELETTRONICA SRL) 4 October 1995 (1995-10-04) the whole document ---	1
E	WO 00 76599 A (OGAWA HIDEHARU) 21 December 2000 (2000-12-21) the whole document -----	1

# INTERNATIONAL SEARCH REPORT

Inter Inal application No.  
PCT/IB 00/01706

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

1-11

### Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: 1-11

Inputting data into a sport database via a network connected mobile terminal.

2. Claims: 12-21

Sport database access where input device type is determined and relevant display and communication parameters are selected accordingly.

## INTERNATIONAL SEARCH REPORT

ation on patent family members

Internal Application No  
PCT/JP 00/01706

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0820183	A	21-01-1998	JP 10042075 A	13-02-1998
			JP 10107903 A	24-04-1998
			EP 0820183 A2	21-01-1998
			US 6272332 B1	07-08-2001
US 5809415	A	15-09-1998	EP 0779759 A2	18-06-1997
			JP 10011383 A	16-01-1998
			JP 2000231530 A	22-08-2000
			US 6119155 A	12-09-2000
			US 2001014615 A1	16-08-2001
			US 2002160790 A1	31-10-2002
			US 6473609 B1	29-10-2002
			US 6405037 B1	11-06-2002
			US 2002039899 A1	04-04-2002
			US 6430409 B1	06-08-2002
US 5434789	A	18-07-1995	NONE	
US 5949679	A	07-09-1999	NONE	
WO 9947216	A	23-09-1999	AU 2914199 A	11-10-1999
			WO 9947216 A1	23-09-1999
			BR 9908866 A	13-11-2001
			CA 2307649 A1	23-09-1999
			CN 1301188 T	27-06-2001
			EP 1064057 A1	03-01-2001
WO 9937369	A	29-07-1999	JP 11206944 A	03-08-1999
			JP 11206945 A	03-08-1999
			WO 9937369 A1	29-07-1999
US 5544321	A	06-08-1996	US 5555376 A	10-09-1996
			US 5717955 A	10-02-1998
			US 5603054 A	11-02-1997
			US 5611050 A	11-03-1997
US 5283733	A	01-02-1994	NONE	
EP 0674924	A	04-10-1995	IT 1273402 B	08-07-1997
			CN 1114235 A	03-01-1996
			EP 0674924 A1	04-10-1995
WO 0076599	A	21-12-2000	JP 2000350801 A	19-12-2000
			AU 743849 B2	07-02-2002
			AU 5246700 A	02-01-2001
			CN 1313779 T	19-09-2001
			GB 2355208 A	18-04-2001
			WO 0076599 A1	21-12-2000